



# VULCAN SEALS INC.

## Manufacturer Seal Type Cross Reference Chart

U.S. SEAL® (Head Type Only)	VULCAN (Head Type Only)
Type A or AV	Type 65
Type B or BV	Type 75
Type C or HV	Type 11
Type D	Type A4
Type E	Type A5
Type G	Type 1511
Type I	Type 1724
Type K	Type 112
Type Q	Type 282
Type R	Type A42
Type T	Type A52
Type U	Type A1
Type W / WT	Type 1645
Type X / XT	Type 1645S
Type VGMA	Type 18
Type VGMB	Type 13
Type VGMBD	Type 13 DIN
Type VGMC-1	Type 19
Type VGMC-12	Type 192
Type VGMC-13	Type 193
Type VGMD	Type 9
Type VGME-1	Type 8B
Type VGME-2	Type 8
Type VGME-3	Type 8 DIN
Type VGMH	Type 24

U.S. SEAL® (Stationary Only)	VULCAN (Stationary Only)
Type 1	Type 11 Stat
Type 2	Type 11 Stat
Type 3	Type 31 Stat
Type 5	Type 32 Stat
Type 8 or 9	Type 73 Stat
Type 25	Type 23 Stat
Type 27	Type 25 Stat
Type VGM-G4	Type 8 STD
Type VGM-G6	Type 8 DIN Short
Type VGM-G9	Type 8 DIN Long
Type VGM-G13	Type 8B STD
Type VGM-G50	Type 20 /1520
Type VGM-G60	Type 19B Stat
Type VGM-G606	Type 8 DIN Short
Type Lock Collar	Type Spec Clam

While the information in this document is supplied in good faith, Vulcan cannot fully guarantee the stated equivalent will always provide a suitable replacement due to operating conditions, material options and specification changes. If unsure or for any enquiries please consult Vulcan.

**Embrace Excellence - Vulcan Service, Quality and Value**

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing  
 (952) 955 8800 | [www.vulcanseals.com](http://www.vulcanseals.com) | [service@vulcanseals.com](mailto:service@vulcanseals.com)



# VULCAN SEALS INC.

## Manufacturer Seal Type Cross Reference Chart

PAC-SEAL®	VULCAN
Type 8	Type 1645S
Type 9	Type 1645
Type 16	Type 65
Type 17	Type 18
Type 21/31	Type N11
Type 21D	Type 112
Type 37	Type 8/ 8 DIN
Type 40	Type 282
Type 51	Type A5
Type 51D	Type A52
Type 52	Type 22
Type 68	Type 75
Type 167	Type 1677
Type 250	Type 1724
Type 300	Type A1

PAC-SEAL® (Stationary Only)	VULCAN (Stationary Only)
Type 1 CUP	Type 11 Stat
Type 2 'O'-Ring	Type 31 Stat
Type 3	Type 11 Stat
Type 3P	Type 32
Type 5A	Type 23
Type 5V	Type 25
Type 9	Type 73
Type B9	Type 19B
Type DIN 24960	Type 8 DINL/DINS
Type G6	Type 8 DINS
Type G9	Type 8 DINL

APEX®	VULCAN
Type A1	Type A5
Type A21 (incl. metric)	Type 11
Type A2	Type A4
Type 6	Type 65
Type 6A	Type 75
Type A8T	Type 1645S
Type A9T	Type 1645
Type AMG-1	Type 19 Rotary
Type AMG-12	Type 192 Rotary
Type AMG-13	Type 193 Rotary
Type AMG-1520	Type 1520 Rotary
Type AM3N	Type 8DIN

While the information in this document is supplied in good faith, Vulcan cannot fully guarantee the stated equivalent will always provide a suitable replacement due to operating conditions, material options and specification changes. If unsure or for any enquiries please consult Vulcan.

**Embrace Excellence - Vulcan Service, Quality and Value**

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing  
 (952) 955 8800 | [www.vulcanseals.com](http://www.vulcanseals.com) | [service@vulcanseals.com](mailto:service@vulcanseals.com)



# VULCAN SEALS INC.

## Manufacturer Seal Type Cross Reference Chart

APEX®	VULCAN
Type AM31	Type 8
Type AM37	Type 8
Type AM37G	Type 8
Type AM2	Type 9
Type AH12N	Type 82
Type AH17GM	Type 82
Type A7N	Type 1677M
Type AM74	Type 1659S
Type AH75	Type 1659BS
Type AH7N	Type 1678M
Type AHJ92	Type 40 Rotary
Type AHJ977GN	Type 40L

APEX® (Stationary Only)	VULCAN (Stationary Only)
Cup Mount	Type 11
'O'-Ring Groove	Type 31
Type G4	Type 8 STD
Type G6	Type 8 DINS
Type G9	Type 8 DINL
Type G50	Type 20
Type G60	Type 19B

JOHN CRANE®	VULCAN
Type 1 (USA)	Type A5
Type 1 (Europe)	Type A1
Type 1 Double	Type A52
Type 2 (USA)	Type A4
Type 2 (Europe)	Type A2
Type 2 Double	Type A42
Type 6 (USA)	Type 65
Type 6A	Type 75
Type 6D / 6J	Type 66
Type 8-1	Type 1609S
Type 8-1T	Type 1645S
Type 8B1	Type 1609BS
Type 8B1T	Type 1645BS
Type 9	Type 1609
Type 9T	Type 1645
Type 9BT	Type 1645B
Type 11A	Type 282
Type 21	Type U11
Type 21 Double	Type 112

While the information in this document is supplied in good faith, Vulcan cannot fully guarantee the stated equivalent will always provide a suitable replacement due to operating conditions, material options and specification changes. If unsure or for any enquiries please consult Vulcan.

**Embrace Excellence - Vulcan Service, Quality and Value**

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing  
 (952) 955 8800 | [www.vulcanseals.com](http://www.vulcanseals.com) | [service@vulcanseals.com](mailto:service@vulcanseals.com)



# VULCAN SEALS INC.

## Manufacturer Seal Type Cross Reference Chart

JOHN CRANE®	VULCAN
Type 58B	Type 1659BS
Type 58U	Type 1659S
Type 59B	Type 1659B
Type 59U	Type 1659
Type 80	Type 1688
Type 87	Type 1682
Type 106	Type 65
Type 109	Type 1609
Type 109B	Type 1609B
Type 502	Type 1724
Type 521	Type 24
Type 2100 K	Type 142 DIN
Type 2100 N	Type 143 DIN
Type 2100 S	Type 14 DIN
Type R00x	Type 95
Type R10x	Type 96
Type R20x	Type 97
Type R30x	Type 95N
Type R33	Type 1633
Type R34	Type 1634

JOHN CRANE® (Stationary Only)	VULCAN (Stationary Only)
Type A	Type 23
Type BC	Type 24.BEZS
Type BD	Type 24.BEZL
Type BO	Type 24.DINS
Type BP	Type 24.DINL
Type BS	Type 8.TDP
Type DF	Type 1688
Type M	Type 19B
Type N/NG	Type 20 Stat
Type P/PP/PG	Type 32
Type V	Type 25
Type W/WM	Type 21
Type Z	Type 20 Stat

AES® (Original Codes)	AES® (New Codes)	VULCAN
N-B01	N-B01	Type 18
N-B02	N-B09U	Type 19B
N-B012	B092U	Type 192B
N-B013	B093U	Type 193B

While the information in this document is supplied in good faith, Vulcan cannot fully guarantee the stated equivalent will always provide a suitable replacement due to operating conditions, material options and specification changes. If unsure or for any enquiries please consult Vulcan.

### Embrace Excellence - Vulcan Service, Quality and Value

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing  
 (952) 955 8800 | [www.vulcanseals.com](http://www.vulcanseals.com) | [service@vulcanseals.com](mailto:service@vulcanseals.com)



# VULCAN SEALS INC.

## Manufacturer Seal Type Cross Reference Chart

AES® (Original Codes)	AES® (New Codes)	VULCAN
N-B012G		Type 192G
N-B02S	N-B09SU	Type 19
N-B012S	N-B092SU	Type 192
N-B013S	N-B093SU	Type 193
N-B02SS	N-B09SSU	Type 19S
N-B012SS	N-B092SSU	Type 192S
N-B013SS	N-B093SSU	Type 193S
N-B02D	N-B09DU	Type 19C
N-B02SL	N-B09SLU	Type 19L
N-B012SL	N-B092SLU	Type 192L
N-B013SL	N-B093SLU	Type 193L
N-B02K	N-B09KU	Type 192K
N-B02XS		Consult Vulcan
N-B02W	N-B09WU	Type 191
N-B03	N-B03	Type 70
N-B03U	N-B03U	Type 75
N-B04	N-B04	Type 60
N-B04U	N-B04U	Type 65
N-B05	N-B05U	Type 14DIN
N-B052	N-B092S	Type 142DIN
N-B052S	N-B092SSU	Type 142DINS
N-B053	N-B093U	Type 143DIN
N-B053S	N-B093SSU	Type 143DINS
N-B05U		Consult Vulcan
N-B06		Type 28
N-B07	N-B092U	Type 1724
N-B07S	N-B092SU	Type 1724S
N-B07SL	N-B092SLU	Type 1724L
N-B070		Type 1725
N-B09U		Type 19
N-B092U		Type 192
N-B093U		Type 193
N-B0H		Type 66
N-B0HS		Type 1644
N-BP02	N-BP02U	Type 1520
N-BP04	N-BP04U	Type 1511
N-BP05	N-BP05U	Type 1522
N-BP06	N-BP06U	Type 1520
N-C01	N-C01U	Type CLAM
N-C02	N-C02U	Type 96
N-C03	N-C03U	Type 97
N-C04	N-C04U	Consult Vulcan
N-HCH		Type 17

While the information in this document is supplied in good faith, Vulcan cannot fully guarantee the stated equivalent will always provide a suitable replacement due to operating conditions, material options and specification changes. If unsure or for any enquiries please consult Vulcan.

**Embrace Excellence - Vulcan Service, Quality and Value**

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing  
 (952) 955 8800 | [www.vulcanseals.com](http://www.vulcanseals.com) | [service@vulcanseals.com](mailto:service@vulcanseals.com)



# VULCAN SEALS INC.

## Manufacturer Seal Type Cross Reference Chart

AES® (Original Codes)	AES® (New Codes)	VULCAN
N-HTOC	N-HT0CU	Type 292
N-IMC		Type 281
N-IMI		Type IMIT
N-M01	N-M01U	Type 1609
N-M01S	N-M01SU	Type 1609S
N-M02	N-M02U	Type 1609B
N-M02S	N-M02SU	Type 1609BS
N-M03	N-M03U	Type 1659
N-M03S	N-M03SU	Type 1659S
N-M04	N-M04U	Type 1659B
N-M04S	N-M04SU	Type 1659BS
N-M05	N-M05U	Type 1645
N-M05S	N-M05SU	Type 1645S
N-M06	N-M06U	Type 1645B
N-M06S	N-M06SU	Type 1645BS
N-M07	N-M07U	Type 50
N-MP07	N-MP07U	Type 912
N-M010	N-M010	Type 40
N-M010S1	N-M010S1	Type 1663
N-M010S2	N-M010S2	Type 1663A
N-M010S3	N-M010S3	Type 1662
N-M010S4	N-M010S4	Type 1691
N-M010SA	N-M010SA	Type 42
N-M010D	N-M010D	Type 1674
N-P01	N-P01U	Type 10
N-P010		Type 293
N-P02	N-P02 / P02U	Type 20
N-P01U		Type A1
N-P02U	N-P02U	Type A2
N-P04U	N-P04U	Type A4
N-P05U	N-P05U	Type A5
N-P02G	N-P02GU	Type 207
N-P03	N-P03 / N-P03U	Type 24
N-P04	N-P04	Type 11
N-P05	N-P05 / N-P05U	Type 22 or Type A5
N-P06	N-P06U	Type 26
N-P07	N-P07U	Type 90 / 91 / 92 / 93 - Consult Vulcan
N-P08	N-P08U	Type 95
N-P08S	N-P08SU	Type 95N
N-P080	N-P080U	Type 98
N-P09	N-P09U	Type 94
N-P011	N-P011U	Type 89

While the information in this document is supplied in good faith, Vulcan cannot fully guarantee the stated equivalent will always provide a suitable replacement due to operating conditions, material options and specification changes. If unsure or for any enquiries please consult Vulcan.

**Embrace Excellence - Vulcan Service, Quality and Value**

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing  
 (952) 955 8800 | [www.vulcanseals.com](http://www.vulcanseals.com) | [service@vulcanseals.com](mailto:service@vulcanseals.com)



# VULCAN SEALS INC.

## Manufacturer Seal Type Cross Reference Chart

AES® (Original Codes)	AES® (New Codes)	VULCAN
N-P08D		Type 96D
N-P0LXB	N-P0LXB	Type 822
N-S01	N-S01U	Type 8.STD
N-S09	N-S09U	Type 23 STAT
N-S010	N-S010U	Type 24BEZL
N-S013		Type 24BEZS
N-S02	N-S02U	Type 8.DINL
N-S03	N-S03U	Type 8.DINS
N-S04	N-S04U	Type 24 STAT
N-S040	N-S040U	Type 19B STAT
N-S05	N-S05U	Type 24.DINL
N-S06	N-S06U	Type 24.DINS
N-S07	N-S07U	Type 21 STAT
N-S070	N-S070U	Type 31 STAT
N-S08	N-S08U (or S080U)	Type 25 STAT
N-S0E	N-S0ECU	Type 1640
N-S0H		Type 34 STAT
N-S0J		Type 33 STAT
N-S0Z---OXQ	N-S0ZU	Type x"FLUSH SINGLE
N-S0Z--OXS	N-S0ZU	Type x"NONFLUSH SINGLE
N-S0Z-A-XP	N-S0ZU	Type x"SHELLEND
N-SAB	N-SAB	Type SAB
N-S0S		Type 86
N-S011	N-S011U	Type 32 STAT
N-S01X		Type 8 BEZ
N-T01	N-T01U	Type 8
N-T01.DIN / T01D	N-T01DU	Type 8 DIN
N-T01A	N-T01AU	Type 8W
N-T01DB	N-T01DBU	Type 82
N-T01SA		Type 81 (Excl. Clamp Ring)
N-T01X		Type 8Y
N-T01F		Consult Vulcan
N-T02	N-T02U	Type 8B
N-T03-EAXL	N-T03U	Type 12
N-T03.DIN / T03D	N-T03DU	Type 12DIN
N-T04	N-T04	Type 13
N-T04.DIN / T04D		Type 13DIN
N-T05	N-T05	Type 06
N-T06D	N-T06DU	Type 135
N-T07	N-T07U	Type 9
N-T07X	N-T07XU	Type F9 - Consult Vulcan
N-T0C		Type COP
N-T0R		Type 29

While the information in this document is supplied in good faith, Vulcan cannot fully guarantee the stated equivalent will always provide a suitable replacement due to operating conditions, material options and specification changes. If unsure or for any enquiries please consult Vulcan.

### Embrace Excellence - Vulcan Service, Quality and Value

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing  
 (952) 955 8800 | [www.vulcanseals.com](http://www.vulcanseals.com) | [service@vulcanseals.com](mailto:service@vulcanseals.com)



# VULCAN SEALS INC.

## Manufacturer Seal Type Cross Reference Chart

AES® (Original Codes)	AES® (New Codes)	VULCAN
N-TOW	N-TOWU	Type 16
N-TOWP	N-TOWPU	Type 16PLUS
N-TOWD	N-TOWDU	Type 16DOUBLE
N-TOWDW	N-TOWDWU	Type 297
N-T01DXN		Type 127B
N-V0T		Type 84
N-W01	N-W01U	Type 1688
N-W01TL	N-W01U-TL	Type 1688Z
N-W02	N-W02U	Type 1688L
N-W03	N-W03U	Type 1688W
N-W03S	N-W03SU	Type 1682
N-W04	N-W04U	Type 1688Y
N-W06	N-W06U	Type 1650
N-W07	N-W07DMU	Type 1677
N-W07DMB	N-W07DMBU	Type 1678
N-W07SD		Type 1633
N-W08	N-W08U	Type 295
N-W09	N-W09U	Type 1655
N-W010	N-W010U	Type 294
N-W0F		Fristam Range - Consult Vulcan
N-W0FBC		Type 2010/1
N-W011	N-W011U	Type 1683
N-W0X		Type 1686 - Consult Vulcan
N-W013		Type 87 / 87A - Consult Vulcan
N-W014	N-W014U	Type 1632
N-W015	N-W015U	Type 1651
N-W016	N-W016U	Type 1680
N-W017	N-W017U	Type 1649
N-WP03	N-WP03	Type 1577
N-W0AF		Type 1676
N-W013S		Type 88

BURGMANN®	VULCAN
Type BT-AR, BT-AR3	Type 18
Type BT-FN	Type 13
Type BT-RN	Type 12
Type H7N	Type 1678
Type H12N or H17GN	Type 82
Type H12N6	Type 82S
Type HJ92N	Type 40L
Type HJ977GN	Type 40L

While the information in this document is supplied in good faith, Vulcan cannot fully guarantee the stated equivalent will always provide a suitable replacement due to operating conditions, material options and specification changes. If unsure or for any enquiries please consult Vulcan.

**Embrace Excellence - Vulcan Service, Quality and Value**

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing  
 (952) 955 8800 | [www.vulcanseals.com](http://www.vulcanseals.com) | [service@vulcanseals.com](mailto:service@vulcanseals.com)





# VULCAN SEALS INC.

## Manufacturer Seal Type Cross Reference Chart

BURGMANN®	VULCAN
Type M2	Type 9
Type M2N	Type 9L
Type M2N4	Type 9S
Type M3	Type 8B
Type M3N	Type 8DIN
Type M3N4	Type 8DINS
Type M3N24	Type 12DIN
Type M3N69	Type 127B
Type M3N86	Type 126
Type M3S	Consult Vulcan
Type M32	Type 8
Type M32N	Type 8DIN
Type M32N2	Type 12DIN
Type M32N4	Type 8DINS
Type M32N9	Type 126L
Type M32N24	Type 12DIN
Type M32N69	Type 127B
Type M32N86	Type 126
Type M32S	Consult Vulcan
Type M37	Type 8
Type M37N	Type 8DIN
Type M37N4	Type 8DINS
Type M37G	Type 8
Type M37GN	Type 8DIN
Type M37GN4	Type 8DINS
Type M377	Type 8
Type M377N	Type 8DIN
Type M377S6	Type 8W
Type M7N	Type 1677
Type M74 or H74	Consult Vulcan
Type MG1	Type 19
Type MG12	Type 192
Type MG13	Type 193
Type MG1S20	Type 1520
Type MG1S	Consult Vulcan
Type MG901	Type 22
Type MG910	Type 10
Type MG912	Type 24
Type MG913	Type 143
Type MG920	Type 20
Type MG921	Type 11
Type MG9S	Consult Vulcan

While the information in this document is supplied in good faith, Vulcan cannot fully guarantee the stated equivalent will always provide a suitable replacement due to operating conditions, material options and specification changes. If unsure or for any enquiries please consult Vulcan.

**Embrace Excellence - Vulcan Service, Quality and Value**

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing  
 (952) 955 8800 | [www.vulcanseals.com](http://www.vulcanseals.com) | [service@vulcanseals.com](mailto:service@vulcanseals.com)



# VULCAN SEALS INC.

## Manufacturer Seal Type Cross Reference Chart

BURGMANN® (Stationary Only)	VULCAN (Stationary Only)
Type G1 or G2	Consult Vulcan
Type G4	Type 8.STD
Type G6	Type 8.DINS
Type G7 And G8	Type 8.BEZ
Type G9	Type 8.DINL
Type G12	Type 24.DINS
Type G13	Type 8B Stat
Type G15 or G115	Consult Vulcan
Type G16	Consult Vulcan
Type G30	Consult Vulcan
Type G46	Type 24.DINL
Type G50	Type 20 Stat
Type G55	Type 11 Stat
Type G60	Type 19B
Type G61	Type 24 Stat
Type G606	Type 8.DINS

While the information in this document is supplied in good faith, Vulcan cannot fully guarantee the stated equivalent will always provide a suitable replacement due to operating conditions, material options and specification changes. If unsure or for any enquiries please consult Vulcan.

**Embrace Excellence - Vulcan Service, Quality and Value**

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing  
(952) 955 8800 | [www.vulcanseals.com](http://www.vulcanseals.com) | [service@vulcanseals.com](mailto:service@vulcanseals.com)

VSI-COMP-XREF - Rev. 2 - FEB 2017